

WHO AM I ? 這傢伙是誰啊? JAZZ ?


- 講者介紹：

- 國網中心 王耀聰 副研究員 / 交大電控八九級碩士
- jazz@nchc.org.tw



- 所有投影片、參考資料與操作步驟均在網路上

- <http://trac.nchc.org.tw/cloud>
- 由於雲端資訊變動太快，愛護地球，請減少不必要之列印。






淺談巨量資料的趨勢、挑戰與因應對策

Big Data : the Trends, Challenges and Solutions

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw



Agenda 演講大綱

What is Big Data ? 何謂巨量資料

Why should we care? 為何需要關切

When to deploy it ? 何時導入技術

How to handle it ? 三大因應策略

Who is key player ? 誰是成功關鍵

WHAT



What is Big Data ?

何謂巨量資料

趨勢

Trends

定義


Definitions

挑戰：管理維度


The Six Dimensions

Source: <http://www.2010taipeiexpo.tw/ct.asp?xItem=17186&CtNode=5952&mp=3>

Trends It's all about **Buzzwords** 「趨勢」亦或「流行語」？ Web 3.0, Cloud Computing, Social Network, Big Data,




語意網 (Semantic Web) 從 2001 年開始制定標準後，逐漸下滑。而同義詞 Web 3.0 也呈現相似趨勢。巨量資料 (Big Data) 與其關鍵技術 Hadoop，則仍在上揚中。



整體而言，雲端運算 (Cloud Computing) 與社交網路 (Social Network) 呈現上揚。且社交網路比雲端運算還引人注目。


Trends of Market Needs 市場需求趨勢

cloud computing, hadoop, big data, nosql Job Trends



Indeed.com searches millions of jobs from thousands of job sites. This job trends graph shows the percentage of jobs we find that contain your search terms.

Find [Cloud Computing jobs](#), [Hadoop jobs](#), [Big Data jobs](#), [Nosql jobs](#)



美國軟體就業市場分析，根據 indeed 與 simply hired 兩間公司的趨勢觀察，都得到一樣的結果：

Big Data > Cloud Computing > Hadoop > NoSQL

To

CIO technologies	Ranking of technologies CIOs selected as one of their top 3 priorities in 2012			
Ranking	2012	2011	2010	2009
Analytics and business intelligence	1	5	5	1
Mobile technologies	2	3	6	12
Cloud computing (SaaS, IaaS, PaaS)	3	1	2	16
Collaboration technologies (workflow)	4	8	11	5
Virtualization	5	2	1	3
Legacy modernization	6	7	15	4
IT management	7	4	10	*
Customer relationship management	8	18	*	*
ERP applications	9	13	14	2
Security	10	12	9	8
Social media/Web 2.0	11	10	3	15


Gartner CIO Agenda 2012 前三名：
 [1] Business Intelligence (Big Data)
 [2] Mobile technology
 [3] Cloud Computing

How BIG? 讓我們先來認識一下容量單位

Bit (b)	1 or 0
Byte (B)	8 bits
Kilobyte (KB)	1,000 bytes
Megabyte (MB)	1,000 KB
Gigabyte (GB)	1,000 MB
Terabyte (TB)	1,000, GB
Petabyte (PB)	1,000 TB
Exabyte (EB)	1,000 PB
Zettabyte (ZB)	1,000 EB

Data Explosion!! 始於 2007 的「資料大爆炸」時代

Information Versus Available Storage




Source: IDC, 2007

Figure 1

Information Created, Captured and Replicated

6-Fold Growth
in Four Years



Source: IDC, 2007

2007 年，IDC 預估
2010 年會成長**六倍**！
(相較 2006 年)

2006 161 EB
2010 988 EB (預測)


出處：The Expanding Digital Universe,
A Forecast of Worldwide Information Growth Through 2010,
March 2007, An IDC White Paper - sponsored by EMC

<http://www.emc.com/collateral/analyst-reports/expanding-digital-idc-white-paper.pdf>

Data Explosion!! 始於 2007 的「資料大爆炸」時代

Figure 1

Digital Information Created, Captured, Replicated Worldwide



Source: IDC, 2008

2009 年，IDC 預估
2011 年會成長**十倍**！
(相較 2006 年)

2006	161	EB
2007	281	EB
2010	988	EB (預測)
2011	1773	EB (預測)

出處：[The Diverse and Exploding Digital Universe, An Updated Forecast of Worldwide Information Growth Through 2011](#)
[March 2008](#), An IDC White Paper - [sponsored by EMC](#)
<http://www.emc.com/collateral/analyst-reports/diverse-exploding-digital-universe.pdf>

Data expanded 2x each year !! 每年約略兩倍



追蹤歷年的 IDC 數據：

2006	161	EB	
2007	281	EB	
2008	487	EB	
2009	800	EB	(0.8 ZB)
2010	988	EB	(預測)
2010	1200	EB	(1.2 ZB)
2011	1773	EB	(預測)
2011	1800	EB	(1.8 ZB)

景氣差而成長趨緩？
或受新技術抑制？

出處：[Extracting Value from Chaos](#),
June 2011, An IDC White Paper - sponsored by EMC

<http://www.emc.com/collateral/about/news/idc-emc-digital-universe-2011-infographic.pdf>

What is Big Data?! 何謂『巨量資料』？

巨量資料泛指資料大小已無法用一般軟體擷取、管理與處理；
單一資料集大小介於數十 TB 至數 PB 的資料。

'Big Data' = few dozen TeraBytes to PetaBytes in single data set.

Definition

[edit]

Big data is a term applied to data sets whose size is beyond the ability of commonly used software tools to capture, manage, and process the data within a tolerable elapsed time. Big data sizes are a constantly moving target currently ranging from a few dozen terabytes to many petabytes of data in a single data set.

In a 2001 research report^[14] and related conference presentations, then META Group (now Gartner) analyst, Doug Laney, defined data growth challenges (and opportunities) as being three-dimensional, i.e. increasing volume (amount of data), velocity (speed of data in/out), and variety (range of data types, sources). Gartner continues to use this model for describing big data.^[15]


出處：http://en.wikipedia.org/wiki/Big_data



多個檔案，容量 100TB




一個資料庫，容量 100TB



一個檔案，容量 100TB

Gartner Big Data Model? 巨量資料的模型?

巨量資料的挑戰在於如何管理「數量」、「增加率」與「多樣性」



參考來源:

[1] Laney, Douglas. "3D Data Management: Controlling Data Volume, Velocity and Variety" (6 February 2001)

[2] Gartner Says Solving 'Big Data' Challenge Involves More Than Just Managing Volumes of Data, June 2011

Six Dimensions of Big Data? 六個維度?



12D of Information Management? 12 個維度?



Big Data
只是終極
資訊管理
的開端！

Source: Gartner (March 2011), 'Big Data' Is Only the Beginning of Extreme Information Management, 7 April 2011, <http://www.gartner.com/id=1622715>

Agenda 演講大綱

What is Big Data ?

何謂巨量資料

Why should we care?

為何需要關切

資料 Data

知識 Knowledge

智慧 Wisdom

WHY



花精靈-小葵

Why we call it “SMART” !!

智慧打哪兒來？！

Smart Phone

智慧手機

Smart Car

智慧車輛

Smart Grid

智慧電網

SMART

哪裡長
智慧了？

Smart City

智慧城市

Smart Home

智慧家庭

Smart Meter

智慧電錶

資料

Data

知識

Knowledge

智慧

Wisdom

Can Machine understand You? 讓機器更懂你?

iPhone


Features Built-in Apps



Siri. Beta

Your wish is
its command.

Siri on iPhone 4S lets you use your voice to send messages, schedule meetings, place phone calls, and more. Ask Siri to do things just by talking the way you talk. Siri understands what you say, knows what you mean, and even talks back. Siri is so easy to use and does so much, you'll keep finding more and more ways to use it.




Google將發展「人工智慧」 永久改變搜尋引擎

2012年02月15日 00:11

點評: 超級阿斯拉, 衝啊! (阿斯拉: 好的, 華人!)

記者黃郁棋 / 綜合報導



每個人都在猜, 下一波網路革命是什麼? 每個人都在猜, 未來的世界會如何運作? Google的資深副總Amit Singhai透露了一點訊息。「Google正努力從『單字』層面進展到『意義』層面, 未來搜尋引擎提供的不只是關鍵字搜尋, 搜尋引擎甚至會『明白』你到底要什麼。」



▲ Google未來將會朝「人工智慧」前進。(圖 / 取自mashable.com)

Evolution of Software / Service

軟體演化勢必走向『智能化』



The wisdom of Clouds (Crowds)

雲端序曲：雲端的智慧始終來自於群眾的智慧

2006年8月9日

Google 執行長施密特 (Eric Schmidt) 於SES'06會議中首次使用「雲端運算 (Cloud Computing) 」來形容無所不在的網路服務

2006年8月24日

Amazon 以 Elastic Compute Cloud 命名其虛擬運算資源服務



Data is the source of Wisdom !!

用雲掌握資料，加以分析，形成智能給端用



雲

資料中心
提供服務

雲端設計新思維：端的智能來自於雲的服務

Devices share the wisdom of Cloud

端



各類裝置
存取服務

Agenda 演講大綱

What is Big Data ? 何謂巨量資料

Why should we care? 為何需要關切

When to deploy it ? 何時導入技術

基礎建設 IaaS

分析平台 PaaS

智慧服務 SaaS

WHEN



花精靈-小鬱

National Definition of Cloud Computing

美國國家標準局 NIST 給雲端運算所下的定義

5 Characteristics

五大基礎特徵

4 Deployment Models

四個佈署模型

3 Service Models

三個服務模式

1. On-demand self-service.

隨需自助服務

2. Broad network access

隨時隨地用任何網路裝置存取

3. Resource pooling

多人共享資源池

4. Rapid elasticity

快速重新佈署靈活度

5. Measured Service

可被監控與量測的服務

4 Deployment Models of Cloud Computing

雲端運算的四種佈署模型

Public Cloud
公用雲端



Target Market
is **S.M.B.**
主要客戶為
中小企業

**Dynamic Resource Provisioning
between public and private cloud**

私有雲端動態根據計算需求
調用公用雲端的資源

Hybrid
Cloud

以大型企業
為主要客戶
**Enterprise is
key market**

Community Cloud
社群雲端

Academia 學術為主



私有雲端

Private Cloud

3 Service Models of Cloud Computing

雲端運算的三種服務模式 (市場區隔)

IaaS

Infrastructure as a Service

架構即服務

PaaS

Platform as a Service

平台即服務

SaaS


Software as a Service

軟體即服務



Roadmap to build Your Enterprise Cloud !!

佈建企業雲端的時程規劃



Agenda 演講大綱

What is Big Data ? 何謂巨量資料

Why should we care? 為何需要關切

When to deploy it ? 何時導入技術

How to handle it ? 三大因應策略

儲存虛擬化 Dedup.

資料安全 Security

智慧服務 SaaS

HOW



花精靈-蘭兒

Three Solutions !! 三種服務模式 vs. 三類因應對策

SaaS

Software as a Service

軟體即服務

Web 2.0

網頁服務

(A) 提供 API 介面

(B) 分散式資料庫

PaaS

Platform as a Service

平台即服務

Data Analysis

資料分析

(A) 資料整合

(B) 資料探勘

IaaS

Infrastructure as a Service

架構即服務

Virtualization

虛擬化技術

(A) 儲存虛擬化

(B) 備援與加密

What is Virtualization ??

虛擬化技術有哪些呢 ??

Application Virtualization 應用程式虛擬化

Desktop Virtualization
Client Virtualization 桌面虛擬化

Presentation Virtualization 顯示虛擬化

OS-level Virtualization 作業系統虛擬化

Network Virtualization 網路虛擬化

Storage Virtualization 儲存虛擬化


資料庫虛擬化

Database Virtualization

資料虛擬化

Data Virtualization

Deduplication? 去除重複儲存的資料?



- 資料整合為跨單位整合的第一步 !!
- 商業硬體方案：EMC、NetApp
- 自由軟體方案：
 - ZFS、Lessfs、SDFS...



Business Intelligence 商業智慧

Data Mining

資料探勘

Data Warehouse

資料倉儲

Data Integration

資料整合

若想要達成商業智慧的目標，請先做資料整合、資料倉儲與探勘平台

ERP

金流

CRM

人事

MES

倉管物流

KMS

資訊流

TOM

資訊流

Logs / Files

系統日誌

Compute 計算設施

Network 網路設施

Storage 儲存設施

虛擬化
Virtualization

Data Integration ? 怎麼做資料整合 ?

Source : http://en.wikipedia.org/wiki/Data_integration




Figure 1: Simple schematic for a **data warehouse**. The **ETL** process extracts information from the source databases, transforms it and then loads it into the data warehouse.






Figure 2: Simple schematic for a data-integration solution. A system designer constructs a mediated schema against which users can run queries. The **virtual database** interfaces with the source databases via **wrapper** code if required.

Data Mining & Visualization 資料探勘與視覺化



Agenda 演講大綱

What is Big Data ? 何謂巨量資料

Why should we care? 為何需要關切

When to deploy it ? 何時導入技術

How to handle it ? 三大因應策略

Who is key player ? 誰是成功關鍵



Data Scientist !! 資料科學家 !!

Data scientist: The hot new gig in tech

By Michal Lev-Ram, writer September 6, 2011: 5:00 AM ET

Companies that want to make sense of all their bits and bytes are hiring so-called data scientists - if they can find any.



ILLUSTRATION: GAVIN POTENZA

FORTUNE -- The unemployment rate in the U.S. continues to be abysmal (9.1% in July), but the tech world has spawned a new kind of highly skilled, nerdy-cool job that companies are scrambling to fill: data scientist.

會「統計」的人照過來！
財星雜誌 (FORTUNE) 等均報導今年
最熱門的職缺是「資料科學家」！

What is data science?

Data science can be broken down into four essential parts.

Mining data



Collecting and formatting the information

Statistics



Information analysis

Interpret



Representation or visualization in the form of presentations, infographics, graphs or charts

Leverage



Implications of the data, application of the data, interaction using the data and predictions formed from studying it

The way toward Business Intelligence

通往商業智慧的漫長道路

Business Intelligence

商業智慧



Data Mining

資料探勘



Data Warehouse

資料倉儲



Data Integration

資料整合



OS-level Virtualization

作業系統虛擬化



Network Virtualization

網路虛擬化



Storage Virtualization

儲存虛擬化



What we learn today ?

WHAT

海量資料泛指介於TB到PB之間的資料集!!
few dozen TeraBytes to PetaBytes in single data set !!

WHY

透過統計分析人類的資料，讓機器更有智慧~
Make Machine Smart !

WHEN

先建私有雲的虛擬化架構，然後才建分析平台
Build Private IaaS first, then PaaS !!

HOW

儲存虛擬化、資料備援與加密、分析平台
Deduplication , Data Recovery / Encryption, Data Analysis

WHO

資料科學家！接下來的講者都是佼佼者！
Data Scientist ! Next Speaker are all Key Players




處理巨量資料的資訊架構與關鍵技術

Technologies to build IT Stack for Big Data

Jazz Wang

Yao-Tsung Wang

jazz@nchc.org.tw



Hot Jobs in Big Data

從巨量資料的熱門工作談起

Data Mining

資料探勘

Data Visualization

資料視覺化

Data Analysis

資料分析

Data Manipulation

資料操控

Data Discovery

資料鑑識

How to Get a Hot Job in Big Data, Dan Tynan, InfoWorld, March 19, 2012
出處：<http://www.cio.com/article/print/702388>

Applications of Data Mining

資料探勘的應用 - 搜尋引擎

搜尋結果

檔案搜尋

網址(D) 搜尋結果

搜尋小幫手

您想要搜尋什麼?

- 圖片、音樂，或視訊(P)
- 文件(文字處理、試算表，等等)(O)
- 所有檔案和資料夾(L)
- 電腦或人員(C)
- 說明和支援中心裡的資訊(I)

您也可能想要...

- 搜尋網際網路(S)
- 變更喜好(G)



0 個物件

Gmail Calendar Documents Photos Sites Web More -

Search

All Mail

From

To

Subject

Has the words

Doesn't have

Has attachment

Date within 1 day of

Examples: f

Search

信件搜尋

發的交談

jarwin.nchc.org.tw 於 2011年12月02日 (週五) 10時53分46秒 的交談

日 (週五)

- (10時53分48秒) Shunfa 楊順發
- (10時53分51秒) Jazz Yao-Tsung
- (10時54分08秒) Shunfa 楊順發
- (10時54分42秒) Jazz Yao-Tsung
- (10時54分49秒) Jazz Yao-Tsung
- (10時54分51秒) Jazz Yao-Tsung
- (10時55分02秒) Shunfa 楊順發
- (10時55分04秒) Shunfa 楊順發
- (10時55分39秒) Jazz Yao-Tsung

3 KiB

尋找(F)

關閉(C)

即時通訊搜尋

IEEE Xplore® DIGITAL LIBRARY

IEEE

BROWSE

- Journals & Magazines
- Conference Proceedings
- Standards
- Books
- Educational Courses

SIGN IN

Search 3,076,887 documents

SEARCH

Advanced Search | Preferences | Search Tips

資料庫搜尋

「網頁搜尋」

設Yahoo!奇摩為首頁 資訊展PK線上搶先

YAHOO! 奇摩

網頁 | 知識+ | 圖片 | 影片 | 部落格 | 字典 | 新聞 | 購物 BETA

網頁搜尋

熱門: 第一美腿 12歲父親 嫩模女神 幼稚病 51區 花心星座 解夢 知識: 傷口癢竟是 電鍋料理

2011 資訊月 ONLINE 3G特展搶先看!!

Applications of Data Visualization

資料視覺化的應用 - Infographics


Data Scientist Study



The explosion in digital data, bandwidth and processing power – combined with new tools for analyzing the data – has sparked massive interest in the emerging field of data science. Organizations of all sizes are turning to people who are capable of translating this trove of data – created by mobile sensors, social media, surveillance, medical imaging, smart grids and the like – into predictive insights that lead to business value. Despite the growing opportunity, demand for data scientists has outpaced supply of talent, and will for the next five years. Who are data science practitioners, what skills do they need, and why are they so different?


Over 2/3 believe demand for talent will outpace the supply of data scientists

OVER THE NEXT FIVE YEARS, DEMAND FOR DATA SCIENTISTS WILL:



Only 12% see today's BI professional as the best source for new data scientists


THE BEST SOURCE OF NEW DATA SCIENCE TALENT IS:



DUO TO THE ROUNDING, SOME PERCENTAGES MAY NOT ADD UP TO 100

Lack of training and resources are the biggest obstacle to data science in organizations

THE BIGGEST OBSTACLE TO DATA SCIENCE ADOPTION IN OUR ORGANIZATION IS:



參考來源：未來「夯」職業：資料科學家
淺談超吸睛的資訊圖表

<http://www.bnext.com.tw/print/article/id/21740>
<http://www.inside.com.tw/2011/04/13/infographics>

Applications of Data Analysis

資料分析的應用 - 商業智慧 (BI)




Applications of Data Discovery


數位鑑識 - 資訊與法律的結合

電腦鑑識 & 會計鑑識

http://www.solventsoft.com/upload/ANPR_02s.gif




<http://blog.udn.com/kf0630/6018593>



Data, Information, Knowledge, Wisdom

知識管理模型：資料、資訊、知識與智慧




The SMAQ stack for big data

巨量資料處理的資訊架構

做網頁相關的人可能聽過 LAMP



未來處理海量資料的人必需知道
SMAQ (Storage, MapReduce and Query)




參考來源：The SMAQ stack for big data，Edd Dumbill，22 September 2010，

<http://radar.oreilly.com/2010/09/the-smaq-stack-for-big-data.html>

圖片來源：<http://smashingweb.ge6.org/wp-content/uploads/2011/10/apache-php-mysql-ubuntu.png> 8

The SMAQ stack for big data

巨量資料處理的資訊架構



用來儲存分散、沒有關聯
的非結構化資料

Key features

- Distributed
- Non-relational or unstructured

The SMAQ stack for big data

巨量資料處理的資訊架構

運用批次處理的方式，將
運算工作平均分散到許多
的伺服器做運算。

Query

Map Reduce


Storage

Key features

- Distributes computation over many servers
- Batch processing model

The SMAQ stack for big data

巨量資料處理的資訊架構



Key features

- Efficient way of defining computation
- Platform for user friendly analytical systems

將算完的結構化資料儲存到可供查詢的資料庫系統

Three Core Technologies of Google

Google 的三大關鍵技術

- Google 在一些會議分享他們的三大關鍵技術
- Google shared their design of web-search engine
 - SOSP 2003 :
 - “The Google File System”
 - <http://labs.google.com/papers/gfs.html>
 - OSDI 2004 :
 - “MapReduce : Simplified Data Processing on Large Cluster”
 - <http://labs.google.com/papers/mapreduce.html>
 - OSDI 2006 :
 - “Bigtable: A Distributed Storage System for Structured Data”
 - <http://labs.google.com/papers/bigtable-osdi06.pdf>



Open Source Mapping of Google Core Technologies

Google 三大關鍵技術對應的自由軟體

BigTable

A huge key-value datastore

HBase, Hypertable
Cassandra,

MapReduce

To parallel process data

Hadoop MapReduce API
Sphere MapReduce API, ...

Google File System

To store petabytes of data

Hadoop Distributed File System (HDFS)
Sector Distributed File System


更多不同語言的 MapReduce API 實作：

<http://trac.nchc.org.tw/grid/intertrac/wiki%3Ajazz/09-04-14%23MapReduce>

其他值得觀察的分散式檔案系統：

- IBM GPFS - <http://www-03.ibm.com/systems/software/gpfs/>
- Lustre - <http://www.lustre.org/>
- Ceph - <http://ceph.newdream.net/>

Hadoop

- <http://hadoop.apache.org>
 - Hadoop 是 Apache Top Level 開發專案
 - **Hadoop is Apache Top Level Project**
 - 目前主要由 Yahoo! 資助、開發與運用
 - **Major sponsor is Yahoo!**
 - 創始者是 Doug Cutting，參考 Google Filesystem
 - **Developed by Doug Cutting, Reference from Google Filesystem**
 - 以 Java 開發，提供 HDFS 與 MapReduce API。
 - **Written by Java, it provides HDFS and MapReduce API**
 - 2006 年使用在 Yahoo 內部服務中
 - **Used in Yahoo since year 2006**
 - 已佈署於上千個節點。
 - **It had been deploy to 4000+ nodes in Yahoo**
 - 處理 Petabyte 等級資料量。
 - **Design to process dataset in Petabyte**
- 
- Facebook、Last.fm
、Joost are also
powered by Hadoop**

Sector / Sphere

- <http://sector.sourceforge.net/>
- 由美國資料探勘中心研發的自由軟體專案。
- **Developed by National Center for Data Mining, USA**
- 採用 C/C++ 語言撰寫，因此效能較 Hadoop 更好。
- **Written by C/C++, so performance is better than Hadoop**
- 提供「類似」Google File System 與 MapReduce 的機制
- **Provide file system similar to Google File System and MapReduce API**
- 基於UDT高效率網路協定來加速資料傳輸效率
- **Based on UDT which enhance the network performance**
- Open Cloud Testbed有提供測試環境，並開發Ma1Stone效能評比軟體
- **Open Cloud Consortium provide Open Cloud Testbed and develop Ma1Stone toolkit for benchmark**

Sector-Sphere

National Center for Data Mining
University of Illinois at Chicago




Open Data Group

<http://www.opendatagroup.com/>


Why we choice Hadoop? Good Ecosystem!

豐富的生態系建構出處理海量資料的工具庫



BI and EDW build on Hadoop Ecosystem

運用 Hadoop 生態系搭建資料倉儲與商業智慧分析



Build your own search engine, too

您也能用 **Hadoop** 搭建自己的搜尋引擎

Web UI (Crawlzilla Website + Search Engine)

JSP + Servlet +
JavaBean

Nutch

Lucene

Crawlzilla System Management

Tomcat

Hadoop

PC1

PC2

PC3

Microsoft love Hadoop, too

微軟幫 Azure 還有 SQL Server 都接上 Hadoop



The screenshot shows the Microsoft SQL Server website. At the top, there is a navigation bar with "SQL Server" and "All Microsoft Sites" on the left, "United States" and "Change" in the middle, and a search bar with "Search Microsoft" and "bing" on the right. Below the navigation bar is the Microsoft SQL Server logo. To the right of the logo are "Contact Us" and social media icons for Facebook, Twitter, and YouTube. Below the logo is a menu with "About SQL Server", "Solutions & Technologies", "Editions", "Get SQL Server", "Learning Center", and "Partners". The main content area is titled "Business Intelligence" and features a "Share this page" button. A red banner highlights "Big Data Analytics". Below this is a video player for "Strata Big Data Conference 2012 and Power View Contest" with a play button and a progress bar. To the right of the video is the "Big Data Solution" section, which includes a description of the solution and a list of "Key Benefits".

SQL Server | All Microsoft Sites | United States | Change | Search Microsoft | bing | Web

Microsoft SQL Server

Contact Us > | Facebook | Twitter | YouTube

About SQL Server | Solutions & Technologies | Editions | Get SQL Server | Learning Center | Partners

Business Intelligence | Share this page

Big Data Analytics

Strata Big Data Conference 2012 and Power View Contest

Strata Big Data Conference 2012...

YouTube

Big Data Solution

Unlock business insights from all your structured and unstructured data, including large volumes of data not previously activated, with Microsoft's Big Data solution. Microsoft's end-to-end roadmap for Big Data embraces Apache Hadoop™ by distributing enterprise class Hadoop based solutions on both Windows Server and Windows Azure. Our solution is also integrated into the Microsoft BI tools such as SQL Server Analysis Services, Reporting Services and even PowerPivot and Excel. This enables you to do BI on all your data, including those in Hadoop.

Key Benefits

- Broader access of Hadoop to end users, IT professionals and Developers, through easy installation and configuration and simplified programming with JavaScript.
- Enterprise ready Hadoop distribution with greater security, performance, ease of management and options for Hybrid IT usage.

參考來源：Big Data Solution | Microsoft SQL Server 2008 R2

<http://www.microsoft.com/sqlserver/en/us/solutions-technologies/business-intelligence/big-data-solution.aspx>

Oracle love Hadoop, too

Oracle 也接上 Hadoop



CNET > News > Software, Interrupted

Cloudera teams up to connect Oracle and Hadoop

Cloudera and Quest software are partnering to provide connectivity between Oracle and Hadoop.



by [Dave Rosenberg](#) | June 21, 2010 5:30 AM PDT

[Follow](#)

This week [Cloudera](#), a provider of software and services for the Apache Hadoop project, is set to announce a partnership with [Quest Software](#) to develop, support, and distribute an Oracle connector for Hadoop.



Hinet Application of Big Data

中華電信已經在做的海量資料應用

Business Next 數位時代

中華電信：分析駭客行為，拓展對外新服務

撰文者：趙郁竹

發表日期：2012-03-06



[214期雜誌精選]

全球最大的中華電信提供行動電話、市話、寬頻固網、MOD……，各種業務服務，加起來的用戶數就有3000萬，比全台灣人口還多，光是單月帳務數量就高達100億筆資料。除了電信、寬頻服務，還有日益增加的數位服務、行動增值服務，從服務內容到客戶端，累積出的資料相當驚人。

「資料量越來越大，日常分析工作需要很多時間，但新的運算技術有效解決了這個問題，」中華電信資訊處處長陳明仕說。2010年開始，因為中華電信本身的資料運算需求，採用分散式運算架構Hadoop技術，打造出大資料運算平台，不但解決了自身的資料問題，還能對外提供資料運算應用。

以MOD為例，一天有幾千萬筆資料，如何找出使用者在什麼時段做了什麼事？廣告效益又如何？「用傳統的方法，需要400分鐘才能分析完；用Hadoop大資料平台，13分鐘就能解決，節省非常多時間，」他說。

追蹤再拆解

大資料運算技術除了節省時間，還能防止駭客入侵。「駭客的攻擊行為都有模式可循，」陳明仕解釋，就像球賽一樣，了解進攻模式就能防守。用戶的資料保護是第一要務，因此透過行為模式分析，能有效保護企業資訊安全，也保障客戶的個資安全。

參考來源：中華電信：分析駭客行為，拓展對外新服務，發表日期：2012-03-06

<http://www.bnext.com.tw/print/article/id/22333>

Hinet Application of Big Data

中華電信已經在做的海量資料應用

 ithome.com.tw

中華電信用Hadoop技術分析通話明細

 READ LATER

面對資料快速成長以及非結構性資料的增加，中華電信資訊處第四科科長楊秀一表示，中華電信近來利用Hadoop雲端運算技術自行開發了一個專門用來分析非結構化資料的巨量資料（Big Data）運算平臺，嘗試在資料進到資料倉儲系統之前，先進行資料的分析與處理以減少資料倉儲的資料量。

近年來行動語音市場趨於飽和，為了掌握用戶特性進行客製化行銷，一份資料要進行分析，就會被多次複製，因此即使用戶增加趨緩，但中華電信擁有的資料量仍快速暴增。

中華電信用來分析的資料模型最早於10多年前已有雛形，但當初主要用於行動語音分析。一直到2009年，他們完整導入Teradata的電信業邏輯資料模型cLDM 9.0版，整合更多電信服務的用戶資料。楊秀一表示，當初導入該模型的目的主要是為了整合行動語音、固網、數據的資料，進行以人為中心的分析模式。在導入之前，中華電信的資料模型是以設備為中心，因為不同設備的記錄資料儲存在不同的資料庫，無法進行整合性的分析。

參考來源：中華電信用 Hadoop 技術分析通話明細，發表日期：2011-06-12
<http://www.ithome.com.tw/itadm/article.php?c=68023>




Hadoop 簡介：源起與術語

Introduction to Hadoop : History and Terminology

Jazz Wang

Yao-Tsung Wang

jazz@nchc.org.tw



What is Hadoop ?

用一句話解釋 **Hadoop** 是什麼 ??

*Hadoop is a **software platform** that lets one easily write and run applications that **process vast amounts of data.***

Hadoop 是一個讓使用者簡易撰寫並執行處理海量資料應用程式的軟體平台。

亦可以想像成一個處理海量資料的生產線，只須學會定義 **map** 跟 **reduce** 工作站該做哪些事情。

Features of Hadoop ...

Hadoop 這套軟體的特色是 ...

- **海量 Vast Amounts of Data**
 - 擁有儲存與處理大量資料的能力
 - Capability to **STORE** and **PROCESS** vast amounts of data.
- **經濟 Cost Efficiency**
 - 可以用在由一般 PC 所架設的叢集環境內
 - Based on large clusters built of **commodity hardware**.
- **效率 Parallel Performance**
 - 透過分散式檔案系統的幫助，以致得到快速的回應
 - With the help of HDFS, Hadoop **have better performance**.
- **可靠 Robustness**
 - 當某節點發生錯誤，能即時自動取得備份資料及佈署運算資源
 - Robustness to add and remove computing and storage resource without shutdown entire system.

Founder of Hadoop – Doug Cutting

Hadoop 這套軟體的創辦人 **Doug Cutting**

Doug Cutting Talks About The Founding Of Hadoop

clouderahadoop

9 部影片

編輯訂閱項目




Doug Cutting Talks About The Founding Of Hadoop

<http://www.youtube.com/watch?v=qxC4urJOchs>

History of Hadoop ... 2002~2004

Hadoop 這套軟體的歷史源起 ... 2002~2004



- Lucene

- <http://lucene.apache.org/>
- 用Java 設計的高效能文件索引引擎API
- a high-performance, full-featured **text search engine library** written entirely in **Java**.
- 索引文件中的每一字，讓搜尋的效率比傳統逐字比較還要高的多
- Lucene create an **inverse index** of every word i n different documents. It enhance performance of text searching.

History of Hadoop ... 2002~2004

Hadoop 這套軟體的歷史源起 ... 2002~2004

- Nutch



- <http://nutch.apache.org/>
- Nutch 是基於開放原始碼所開發的網站搜尋引擎
- Nutch is open source **web-search** software.
- 利用 Lucene 函式庫開發
- It builds on **Lucene and Solr**, adding web-specifics, such as a **crawler**, a **link-graph database**, parsers for HTML and other document formats, etc.



Three Gifts from Google

來自 **Google** 的三個禮物

- Nutch 後來遇到儲存大量網站資料的瓶頸
- Nutch encounter storage issue
- Google 在一些會議分享他們的三大關鍵技術
- Google shared their design of web-search engine
 - SOSP 2003 : “The Google File System”
 - <http://labs.google.com/papers/gfs.html>
 - OSDI 2004 : “MapReduce : Simplified Data Processing on Large Cluster”
 - <http://labs.google.com/papers/mapreduce.html>
 - OSDI 2006 : “Bigtable: A Distributed Storage System for Structured Data”
 - <http://labs.google.com/papers/bigtable-osdi06.pdf>




History of Hadoop ... 2004 ~ Now

Hadoop 這套軟體的歷史源起 ... 2004 ~ Now

- Dong Cutting reference from Google's publication
- Added DFS & MapReduce implement to Nutch
- According to **user feedback** on the mail list of Nutch
- Hadoop became separated project **since Nutch 0.8**
- Nutch DFS → Hadoop Distributed File System (HDFS)
- **Yahoo** hire Dong Cutting to build a team of web search engine at **year 2006**.
 - Only **14 team members** (engineers, clusters, users, etc.)
- Dong Cutting joined Cloudera at year 2009.

YAHOO!

 cloudera



Who Use Hadoop ??

有哪些公司在用 **Hadoop** 這套軟體 ??

- **Yahoo** is the key contributor currently.
- **IBM** and **Google** teach Hadoop in universities ...
- http://www.google.com/intl/en/press/pressrel/20071008_ibm_univ.html
- **The New York Times** used **100 Amazon EC2 instances** and a Hadoop application to process **4TB of raw image TIFF data** (stored in S3) into **11 million finished PDFs** in the space of **24 hours** at a computation cost of about **\$240** (not including bandwidth)
 - from <http://en.wikipedia.org/wiki/Hadoop>
- <http://wiki.apache.org/hadoop/AmazonEC2>
- <http://wiki.apache.org/hadoop/PoweredBy>
 - A9.com
 - ADSDAQ by Contextweb
 - EHarmony
 - Facebook
 - Fox Interactive Media
 - IBM
 - ImageShack
 - ISI
 - Joost
 - Last.fm
 - Powerset
 - The New York Times
 - Rackspace
 - Veoh
 - Metaweb

Hadoop in production run

商業運轉中的 *Hadoop* 應用

- February 19, 2008
- Yahoo! Launches World's Largest Hadoop Production Application
- <http://developer.yahoo.net/blogs/hadoop/2008/02/yahoo-worlds-largest-production-hadoop.html>

Number of links between pages in the index	roughly 1 trillion links
Size of output	over 300 TB, compressed!
Number of cores used to run single Map-Reduce job	over 10,000
Raw disk used in the production cluster	over 5 Petabytes

Hadoop in production run

商業運轉中的 *Hadoop* 應用

- September 30, 2008
- Scaling Hadoop to 4000 nodes at Yahoo!
- http://developer.yahoo.net/blogs/hadoop/2008/09/scaling_hadoop_to_4000_nodes_a.html

Total Nodes	4000
Total cores	30000
Data	16PB

	500-node cluster		4000-node cluster	
	write	read	write	read
number of files	990	990	14,000	14,000
file size (MB)	320	320	360	360
total MB processes	316,800	316,800	5,040,000	5,040,000
tasks per node	2	2	4	4
avg. throughput (MB/s)	5.8	18	40	66

Comparison between Google and Hadoop

Google 與 *Hadoop* 的比較表

Develop Group	Google	Apache
Sponsor	Google	Yahoo, Amazon
Algorithm Method	MapReduce	MapReduce
Resource	open document	open source
File System (MapReduce)	GFS	HDFS
Storage System (for structure data)	big-table	HBase
Search Engine	Google	Nutch
OS	Linux	Linux / GPL

Why should we learn Hadoop ?

為何需要學習 **Hadoop** ??

[Search Jobs](#) [Browse Jobs](#) [Local Jobs](#) [Salaries](#) [Employment Trends](#)


simplyhired[®]
job search made simple

Employment Trends

Xen, Hyper-V, Hadoop

Tip: You can compare trends by separating them with commas.

Xen, Hyper-v, Hadoop Trends



Xen, Hyper-v, Hadoop Job Trends

This graph displays the percentage of jobs with your search terms anywhere in the job listing. Since November 2008, the following has occurred:


- [Xen jobs](#) increased 141%
- [Hyper-v jobs](#) increased 551%
- [Hadoop jobs](#) did not change or there is no data available

1. Data Explore
資訊大爆炸

2. Data Mining Tool
方便作資料探勘的工作

3. Looking for Jobs
好找工作!!

Information Versus Available Storage




2007 Data Explore

Top 1 : Human Genomics - 7000 PB / Year
Top 2 : Digital Photos - 1000 PB+ / Year
Top 3 : E-mail (no Spam) - 300 PB+ / Year

The Worldwide Growth of eMail




The Growth of Images



Source: <http://www.emc.com/collateral/analyst-reports/expanding-digital-idc-white-paper.pdf>

Source: IDC, 2007

Source: IDC, 2007



Source: http://lib.stanford.edu/files/sec_pasig_dtc.pdf

Particle Physics Large Hadron Collider (15PB)	Human Genomics (7000PB) 1GB / person 200PB+ captured 200% CAGR	http://www.intel.com World Wide Web (~1PB)	Wikipedia (10GB) 100% CAGR
Annual Email Traffic, no spam (300PB+)	Internet Archive (1PB+)	Estimated On-line RAM in Google (8PB)	Personal Digital Photos (1000PB+) 100% CAGR
200 of London's Traffic Cams (8TB/day)	2004 Walmart Transaction DB (500TB)	Typical Oil Company (350TB+)	Merck Bio Research DB (1.5TB/qtr)
UPMC Hospitals Imaging Data (500TB/yr)	MIT Babytalk Speech Experiment (1.4PB)	Terashake Earthquake Model of LA Basin (1PB)	One Day of Instant Messaging in 2002 (750GB)
Total digital data to be created this year 270,000PB (IDC)			


Phillip B. Gibbons, Data-Intensive Computing Symposium



Hadoop 專業術語

Introduction to Hadoop Terminology

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw



Two Key Elements of Operating System

作業系統兩大關鍵組成元素

Scheduler
程序排程



File System
檔案系統



Terminologies of Hadoop

Hadoop 文件中的專業術語

- Job
 - 任務
- Task
 - 小工作
- JobTracker
 - 任務分派者
- TaskTracker
 - 小工作的執行者
- Client
 - 發起任務的客戶端
- Map
 - 應對
- Reduce
 - 總和



- Namenode
 - 名稱節點
- Datanode
 - 資料節點
- Namespace
 - 名稱空間
- Replication
 - 副本
- Blocks
 - 檔案區塊 (64M)
- Metadata
 - 屬性資料



Two Key Roles of HDFS

HDFS 軟體架構的兩種關鍵角色

名稱節點 **NameNode**

- **Master Node**
- **Manage NameSpace of HDFS**
- **Control Permission of Read and Write**
- **Define the policy of Replication**
- **Audit and Record the NameSpace**
- **Single Point of Failure**

資料節點 **DataNode**

- **Worker Nodes**
- **Perform operation of Read and Write**
- **Execute the request of Replication**
- **Multiple Nodes**

Two Key Roles of Job Scheduler

程序排程的兩種關鍵角色

JobTracker


- **Master Node**
- **Receive Jobs from Hadoop Clients**
- **Assigned Tasks to TaskTrackers**
- **Define Job Queuing Policy, Priority and Error Handling**
- **Single Point of Failure**

TaskTracker

- **Worker Nodes**
- **Excute Mapper and Reducer Tasks**
- **Save Results and report task status**
- **Multiple Nodes**


Different Roles of Hadoop Architecture

Hadoop 軟體架構中的不同角色




Distributed Operating System of Hadoop

Hadoop 建構成一個分散式作業系統



About Hadoop Client ...

不在雲裡的 *Hadoop Client*



What we learn today ?

WHAT

Hadoop 是運算海量資料的軟體平台 !!

hadoop is a software platform to process vast amount of data!!

WHO

始祖是 **Doug Cutting** , **Apache** 社群支持 , **Yahoo** 贊助

From Doug Cutting to Apache Community, Yahoo and more !

WHEN

Hadoop 是 2004 年從 Nutch 分裂出來的專案 !!

Hadoop became separate project since year 2004 !!

WHY

資料大爆炸、資料探勘、找工作

Data Explore, Data Mining, Jobs !!

HOW

建構在大型的個人電腦叢集之上

Install on large clusters built of commodity hardware !!



Questions?

Slides - <http://trac.nchc.org.tw/cloud>

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw




Powered by DRBL



HDFS 簡介

Introduction to Hadoop Distributed File System

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw



What is HDFS ??

什麼是 **HDFS** ??

- **Hadoop Distributed File System**

- 實現類似 Google File System 分散式檔案系統
- Reference from Google File System.
- 一個易於擴充的分散式檔案系統，目的為對大量資料進行分析
- **A scalable distributed file system for large data analysis .**
- 運作於廉價的普通硬體上，又可以提供容錯功能
- **based on commodity hardware with high fault-tolerant.**
- 給大量的用戶提供總體性能較高的服務
- **It have better overall performance to serve large amount of users.**

Features of HDFS ...

HDFS 的特色是 ...

- **硬體錯誤容忍能力 Fault Tolerance**
 - 硬體錯誤是正常而非異常
 - Failure is the norm rather than exception
 - 自動恢復或故障排除
 - automatic recovery or report failure
- **串流式的資料存取 Streaming data access**
 - 批次處理多於用戶交互處理
 - Batch processing rather than interactive user access.
 - 高 Throughput 而非低 Latency
 - High aggregate data bandwidth (throughput)

Features of HDFS ...

HDFS 的特色是 ...

- **大規模資料集 Large data sets and files**
 - 支援 Petabytes 等級的磁碟空間
 - Support Petabytes size
- **一致性模型 Coherency Model**
 - 一次寫入，多次存取 Write-once-read-many
 - 簡化一致性處理問題 This assumption simplifies coherency
- **在地運算 Data Locality**
 - 到資料的節點上計算 > 將資料從遠端複製過來計算
 - “move compute to data” > “move data to compute”
- **異質平台移植性 Heterogeneous**
 - 即使硬體不同也可移植、擴充
 - HDFS could be deployed on different hardware

Parallel Computing using NFS storage

使用 **NFS** 進行平行運算

NFS Client RAM

NFS Client Bridge

NFS Client NIC

NFS Server NIC

NFS Server Bridge

NFS Server Disk

Bus I/O (2)

NFS Client CPU


Network I/O

Bus I/O (1)

NFS Server RAM

NFS Server CPU

Disk I/O



Parallel Computing using HDFS

使用 **HDFS** 進行平行運算

TaskTracker RAM

TaskTracker Bridge

Disk I/O x N Node

DataNode Local Disk

Bus I/O (2)

TaskTracker CPU

Network I/O

TaskTracker NIC


JobTracker NIC

Bus I/O (1)

NameNode RAM

JobTracker Bridge


JobTracker CPU



How HDFS manage data ...

HDFS 如何管理資料 ...

HDFS Architecture



How does HDFS work ...


HDFS 如何運作 ...

Namenode (the master)

Path and Filename – **Replication** , **blocks**

name:/users/joeYahoo/myFile - copies:2, blocks:{1,3}


name:/users/bobYahoo/someData.gzip, copies:3, blocks:{2,4,5}



About Data locality ...

HDFS 如何達成在地運算 ...

- Increase reliability and read bandwidth
 - robustness : read replication while found any failure
 - High read bandwidth : distribute read (but increase write bottleneck)



About Fault Tolerance ...

HDFS 如何達成容錯機制 ...

資料崩毀
Data Corrupt

網路或資料
節點失效
Network Fault
DataNode Fault

名稱節點錯誤
NameNode Fault

- 資料完整性 Data integrity
 - checked with CRC32
 - 用副本取代出錯資料
 - Replcae corrupt block with replication one
- Heartbeat
 - Datanode send **heartbeat** to Namenode
- Metadata
 - FSImage 、 Editlog 為核心印象檔及日誌檔
 - FSImage – core file system mapping image
 - Editlog – like. SQL transaction log
 - 多份儲存，當名稱節點故障時可以手動復原
 - Multiple backups of FSImage and Editlog
 - Manually recovery while NameNode Fault

Coherency Model and Performance of HDFS

HDFS 的一致性機制與效能 ...

- **檔案一致性機制 Coherency model of files**
 - 刪除檔案 \ 新增寫入檔案 \ 讀取檔案皆由名稱節點負責
 - NameNode handle the operation of write, read and delete.
- **巨量空間及效能機制 Large Data Set and Performance**
 - 預設每個區塊大小以 64MB 為單位
 - By default, the block size is 64MB
 - 大區塊可提高存取效率
 - Bigger block size will enhance read performance
 - 檔案有可能大過一顆磁碟
 - Single file stored on HDFS might be larger than single physical disk of DataNode.
 - 區塊均勻散佈各節點以分散讀取流量
 - Fully distributed blocks increase throughput of reading.

POSIX like HDFS commands

與 **POSIX** 相似的操作指令 ...

```
jazz@hadoop:~$ hadoop fs
Usage: java FsShell
    [-ls <path>]
    [-lsr <path>]
    [-du <path>]
    [-dus <path>]
    [-count[-q] <path>]
    [-mv <src> <dst>]
    [-cp <src> <dst>]
    [-rm <path>]
    [-rmr <path>]
    [-expunge]
    [-put <localsrc> ... <dst>]
    [-copyFromLocal <localsrc> ... <dst>]
    [-moveFromLocal <localsrc> ... <dst>]
    [-get [-ignoreCrc] [-crc] <src> <localdst>]
    [-getmerge <src> <localdst> [addnl]]
    [-cat <src>]
    [-text <src>]
    [-copyToLocal [-ignoreCrc] [-crc] <src> <localdst>]
    [-moveToLocal [-crc] <src> <localdst>]
    [-mkdir <path>]
    [-setrep [-R] [-w] <rep> <path/file>]
    [-touchz <path>]
    [-test -[ezd] <path>]
    [-stat [format] <path>]
    [-tail [-f] <file>]
    [-chmod [-R] <MODE[,MODE]... | OCTALMODE> PATH...]
    [-chown [-R] [OWNER][:[GROUP]] PATH...]
    [-chgrp [-R] GROUP PATH...]
    [-help [cmd]]
```



Questions?

Slides - <http://trac.nchc.org.tw/cloud>

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw




Powered by DRBL



MapReduce 簡介

Introduction to MapReduce


Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw



Divide and Conquer Algorithms

分而治之演算法


Example 1:




Example 4: The way to climb 5 steps stair within 2 steps each time. 眼前有五階樓梯，每次可踏上一階或踏上兩階，那麼爬完五階共有幾種踏法？

Ex : (1,1,1,1,1) or (1,2,1,1)

Example 2:



Example 3:



What is MapReduce ??


什麼是 *MapReduce* ??

- MapReduce 是 Google 申請的軟體專利，主要用來處理大量資料
- MapReduce is a **patented** software framework introduced by **Google** to support distributed computing on large data sets on clusters of computers.
- 啟發自函數編程中常用的 map 與 reduce 函數。
- The framework is inspired by **map** and **reduce** functions commonly used in **functional programming**, although their purpose in the MapReduce framework is not the same as their original forms
 - Map(...): $N \rightarrow N$
 - Ex. [1,2,3,4] – (***2**) -> [2,4,6,8]
 - Reduce(...): $N \rightarrow 1$
 - [1,2,3,4] - (**sum**) -> 10
- **Logical view of MapReduce**
 - Map(k1, v1) -> list(k2, v2)
 - Reduce(k2, list (v2)) -> list(k3, v3)

Source: <http://en.wikipedia.org/wiki/MapReduce>


Google's MapReduce Diagram

Google 的 MapReduce 圖解




Google's MapReduce in Parallel

Google 的 MapReduce 平行版圖解



How does MapReduce work in Hadoop

Hadoop MapReduce 運作流程



JobTracker 跟 NameNode 取得需要運算的 blocks

JobTracker 選數個 TaskTracker 來作 Map 運算，產生些中間檔案

JobTracker 將中間檔案整合排序後，複製到需要的 TaskTracker 去


JobTracker 派遣 TaskTracker 作 reduce

reduce 完後通知 JobTracker 與 Namenode 以產生 output

MapReduce by Example (1)

MapReduce 運作實例 (1)

I am a tiger, you are also a tiger



JobTracker 先選了三個 Tracker 做 map

Map 結束後，hadoop 進行中間資料的重組與排序

JobTracker 再選一個 TaskTracker 作 reduce

MapReduce by Example (2)

MapReduce 運作實例 (2)

$\begin{bmatrix} a & b \\ c & d \end{bmatrix} \rightarrow \begin{bmatrix} \text{sqrt}(a + b) \\ \text{sqrt}(c + d) \end{bmatrix}$

$\begin{bmatrix} 1.0 & 0.0 & 3.0 \\ 3.2 & 0.8 & 32.0 \\ 1.0 & 14.0 & 1.0 \end{bmatrix} \rightarrow ?$

Input File

```
0 0 1.0 // A[0][1] = 1.0
0 1 0.0 // A[0][1] = 0.0
0 2 3.0 // A[0][2] = 3.0
1 0 3.2 // A[1][0] = 3.2
1 1 0.8 // A[1][1] = 0.8
```

map

```
(0, 1.0)
(0, 0.0)
(0, 3.0)
(1, 3.2)
(1, 0.8)
```

```
1 2 32.0 // A[1][2] = 32.0
2 0 1.0 // A[2][0] = 1.0
2 1 14.0 // A[2][1] = 14.0
2 2 1.0 // A[2][2] = 1.0
```

map

```
(1, 32.0)
(2, 1.0)
(2, 14.0)
(2, 1.0)
```

sort /
merge

```
(0, {1.0, 0.0, 3.0})
(1, {3.2, 0.8, 32.0})
(2, {1.0, 14.0, 1.0})
```

reduce

```
(0, sqrt(1.0 + 0.0 + 3.0))
(1, sqrt(3.2 + 0.8 + 32.0))
(2, sqrt(1.0 + 14.0 + 1.0))
```

MapReduce is suitable to

MapReduce 合適用於

- 大規模資料集
- **Large Data Set**
- 可拆解
- **Parallelization**
- Text tokenization
- Indexing and Search
- Data mining
- machine learning
- ...

• <http://www.dbms2.com/2008/08/26/known-applications-of-mapreduce/>


• <http://wiki.apache.org/hadoop/PoweredBy>




MapReduce 程式設計入門

MapReduce Programing 101

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw



Program Prototype (v 0.20)



Program Prototype (v 0.18)

Class MR{

```
static public Class Mapper ...{  
}
```

Map 程式碼

```
static public Class Reducer ...{  
}
```

Reduce 程式碼

```
main(){
```

```
JobConf conf = new JobConf( MR.class );
```

```
conf.setMapperClass(Mapper.class);
```

```
conf.setReduceClass(Reducer.class);
```

```
FileInputFormat.setInputPaths(conf, new Path(args[0]));
```

```
FileOutputFormat.setOutputPath(conf, new Path(args[1]));
```

Other configure 其他的設定參數程式碼

```
JobClient.runJob(conf);
```

```
}}
```


Map
區

Reduce
區

設定
區



Word Count - mapper

```
1 class MyMapper extends Mapper<LongWritable, Text, Text, IntWritable> {  
2     private final static IntWritable one = new IntWritable(1);  
3     private Text word = new Text();  
4     public void map( LongWritable key, Text value, Context context)  
5         throws IOException , InterruptedException {  
6         String line = ((Text) value).toString();  
7         StringTokenizer itr = new StringTokenizer(line);  
8         while (itr.hasMoreTokens()) {  
9             word.set(itr.nextToken());  
10            context.write(word, one);  
11        }  
12    }  
13 }
```



Word Count - reducer

```
1 class MyReducer extends Reducer< Text, IntWritable, Text, IntWritable> {  
2     IntWritable result = new IntWritable();  
3     public void reduce( Text key, Iterable <IntWritable> values, Context context)  
4     throws IOException, InterruptedException {  
5         int sum = 0;  
6         for ( IntWritable val : values )  
7             sum += val.get();  
8         result.set(sum);  
9         context.write ( key, result);  
10    }  
11 }
```



Word Count – main program

```
Class WordCount{
  main()
    Configuration conf = new Configuration();
    Job job = new Job(conf, “job name” );
    job.setJarByClass(thisMainClass.class);
    job.setMapperClass(MyMapper.class);
    job.setReducerClass(MyReducer.class);
    FileInputFormat.addInputPaths(job, new Path(args[0]));
    FileOutputFormat.setOutputPath(job, new Path(args[1]));
    job.waitForCompletion(true);
}
```



Questions?

Slides - <http://trac.nchc.org.tw/cloud>

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw




Powered by DRBL



Hadoop 叢集設定解說

Setup Hadoop Fully Distributed Mode

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw



Yahoo's Hadoop Cluster

雅虎的大象軍團

- ~10,000 machines running Hadoop in US
- The largest cluster is currently 2000 nodes
- Nearly 1 petabyte of user data (compressed, unreplicated)
- Running roughly 10,000 research jobs / week



Hadoop Pseudo-Distributed Mode


我們已經實作過單機模式

- Step 1: Setup SSH key exchange
- Step 2: Install Java
- Step 3: Download Hadoop Source Package
- Step 4: Configure `hadoop-env.sh`
 - `export JAVA_HOME=/usr/lib/jvm/java-6-sun`
- Step 5: Configure `*-site.xml`
 - Set Namenode to `hdfs://localhost:9000`
 - Set Jobtracker to `localhost:9001`
 - `bin/hadoop namenode -format`
- Step 6: Format HDFS
- Step 7: Start Hadoop
 - `bin/start-all.sh`
- Step 8: Complete!! Let's check the status of Hadoop
 - Job admin <http://localhost:50030/> HDFS <http://localhost:50070/>



Diagram of Pseudo-Distributed Mode

Hadoop 單機環境示意圖




Hadoop Fully-Distributed Mode

我們接著要用兩台電腦實作叢集模式

- Step 1: Setup SSH key exchange
- Step 2: Install Java
- Step 3: Download Hadoop Source Package
- Step 4: Configure `hadoop-env.sh`
 - `export JAVA_HOME=/usr/lib/jvm/java-6-sun`
- **Step 5: Configure `*-site.xml`**
 - **Set Namenode to `hdfs://x.x.x.1:9000`**
 - **Set Jobtracker to `x.x.x.2:9001`**
- **Step 6: Configure Slaves**
- **Step 7: Synchronization of all slaves**
- Step 8: Format HDFS
 - `bin/hadoop namenode -format`
- Step 9: Start Hadoop
 - **On NameNode : `bin/start-dfs.sh`**
 - **On JobTracker : `bin/start-mapred.sh`**
- Step 10: Complete!! Let's check the status of Hadoop
 - Job admin `http://x.x.x.2:50030/` HDFS `http://x.x.x.1:50070/`


Use case #1

設定情境一



Use case #2

設定情境二



Use case #3

設定情境三


conf / core-site.xml:

fs.default.name ->
hdfs://Node1:9000

conf / mapred-site.xml:

mapred.job.tracker ->
Node1:9001

Node 1



http://x.x.x.1:50070


http://x.x.x.1:50030




conf/slaves:

Node2
.....
NodeN


Node 2



Node N



...



Use case #4

設定情境四

conf / core-site.xml:

fs.default.name ->
hdfs://Node1:9000

Client




http://x.x.x.2:50030

conf / mapred-site.xml:

mapred.job.tracker ->
Node2:9001

G





HTTP Monitoring UI

http://x.x.x.1:50070

conf/slaves:

Node3
.....
NodeN






Hadoop 叢集佈署工具

Hadoop Deployment Tool : SmartFog and DRBL

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw



Programmer v.s. System Admin.



Source: <http://www.funnyjunksite.com/wp-content/uploads/2007/08/programmer.jpg>



Source: <http://www.sysadminday.com/images/people/136-3697.JPG>



PART 1 :

PC Cluster 101

Jazz Wang

Yao-Tsung Wang

jazz@nchc.org.tw



Powered by **DRBL**



At First, We have “4 + 1” PC Cluster


It'd better be
2ⁿ



Manage
Scheduler

**Then, We connect 5 PCs with
Gigabit Ethernet Switch**

GiE Switch



**10/100/1000
Mbps**

WAN



**Add 1 NIC
for WAN**



Compute Nodes

4 Compute Nodes will communicate via **LAN Switch**. Only **Manage Node** have **Internet Access** for Security!



WAN



Manage Node

Compute Nodes

Basic System Setup for Cluster

Messaging

MPICH

GCC

Bash

Perl

Account Mgmt.

SSHD

NIS

YP

GNU Libc



Kernel Module

Linux Kernel

Boot Loader

On **Manage Node**,
We need to install **Scheduler** and
Network File System for sharing
Files with **Compute Node**

Job Mgmt.

OpenPBS

File Sharing

NFS

Extra

Messaging

MPICH

GCC

Bash

Perl

Account Mgmt.

SSHD

NIS

YP

GNU Libc



Kernel Module

Linux Kernel

Boot Loader

Challenges of Cluster Computing

- **Hardware**

- **Ethernet Speed / PC Density**
- **Power / Cooling / Heat**
- **Network and Storage Architecture**

- **Software**

- **Job Scheduler (Cluster level)**
- **Account Management**
- **File Sharing / Package Management**

- **Limitation**

- **Shared Memory**
- **Global Memory Management**

Common Method to deploy Cluster



**1. Setup one
Template
machine**

**2. Cloning
to
multiple
machine**



**3. Configure
Settings**



**4. Install
Job
Scheduler**



**5. Running
Benchmark**

Challenges of Common Method

Add New User Account ?

Upgrade Software ?

How to share user data ?

Configuration Synchronization

How to deploy 4000+ Nodes ????

資料標題：Scaling Hadoop to 4000 nodes at Yahoo!

資料日期：September 30, 2008

Total Nodes	4000
Total cores	30000
Data	16PB

	500-node cluster		4000-node cluster	
	write	read	write	read
number of files	990	990	14,000	14,000
file size (MB)	320	320	360	360
total MB processes	316,800	316,800	5,040,000	5,040,000
tasks per node	2	2	4	4
avg. throughput (MB/s)	5.8	18	40	66

Advanced Methods to deploy Cluster

- **SSI (Single System Image)**
 - **Multiple PCs as Single Computing Resources**
 - **Image-based**
 - **homogeneous**
 - **ex. SystemImager, OSCAR, Kadeploy**
 - **Package-based**
 - **heterogeneous**
 - **easy update and modify packages**
 - **ex. FAI, DRBL**
- **Other deploy tools**
 - **Rocks : RPM only**
 - **cfengine : configuration engine**

Comparison of Cluster Deploy Tools

	Distribution	Support Diskless/ Sysmless	Type	Node configuration tools	Cluster management tools	Database installation
System Imager	ALL	Yes	Image	Yes	No	No
OSCAR	RPM- based	Yes	Image	Yes	Yes	No
Kadeploy	ALL	No	Image	Yes	Yes	Yes
DRBL	ALL	Yes	Package	Yes	Yes	No
FAI	Debian- Based	Yes	Package	Yes	No	No



PART 2-1 :

Hadoop Deployment Tool

Jazz Wang

Yao-Tsung Wang

jazz@nchc.org.tw



Powered by **DRBL**



- Make Hadoop deployment *agile*
- Integrate with dynamic cluster deployments

Source: Deploying hadoop with smartfrog

http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf

12 June 2008

SmartFrog - HPLabs' CM tool


- Language for describing systems to deploy
—everything from datacentres to test cases
 - Runtime to create *components* from the model
 - Components have a lifecycle
 - LGPL Licensed, Java 5+
- <http://smartfrog.org/>

Source: Deploying hadoop with smartfrog

12 http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf



Basic problem: deploying Hadoop



one namenode, 1+ Job Tracker, many data nodes and task trackers

Source: Deploying hadoop with smartfrog

12 http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf

The hand-managed cluster

- Manual install onto machines
- SCP/FTP in Hadoop zip
- copy out hadoop-site.xml and other files
- edit /etc/hosts, /etc/rc5.d, SSH keys ...
- Installation scales $O(N)$
- Maintenance, debugging scales worse

Source: Deploying hadoop with smartfrog

12 http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf



The locked-down cluster

- PXE Preboot of OS images
- RedHat Kickstart to serve up (see instalinux.com)
- Maybe: LDAP to manage state, or custom RPMs

Requires:

uniform images, central LDAP service, good ops team, stable configurations, home-rolled RPMs

Source: [Deploying hadoop with smartfrog](#)

12 http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf



CM-tool managed cluster

Configuration Management tools

- State Driven: observe system state, push it back into the desired state
- Workflow: apply a sequence of operations to change a machine's state
- Centralized: central DB in charge
- Decentralized: machines look after themselves

CM tools are the only way to manage big clusters

Source: [Deploying hadoop with smartfrog](http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf)

12 http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf



Model the system in the SmartFrog language

```
TwoNodeHDFS extends OneNodeHDFS {  
  
    localDataDir2 extends TempDirwithCleanup {  
  
    }  
  
    datanode2 extends datanode {  
        dataDirectories [LAZY localDataDir2];  
        dfs.datanode.https.address "https://localhost:0";  
    }  
}
```


Inheritance, cross-referencing, templating

Source: [Deploying hadoop with smartfrog](http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf)

12 http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf



The runtime deploys the model



Source: Deploying hadoop with smartfrog

http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf

Steps to deployability

1. Configure Hadoop from an SmartFrog description
2. Write components for the Hadoop nodes
3. Write the functional tests
4. Add *workflow* components to work with the filesystem; submit jobs
5. Get the tests to pass

Source: Deploying hadoop with smartfrog

12 http://people.apache.org/~stevell/slides/deploying_hadoop_with_smartfrog.pdf





PART 2-2 :

Introduction to DRBL

Jazz Wang

Yao-Tsung Wang

jazz@nchc.org.tw



Powered by **DRBL**

What is DRBL ??

- **Diskless Remote Boot in Linux**
- Network is cheap, and our time is expansive
- In simple words, DRBL is
 - Replace IDE/SATA cable with network cable
 - 40+ student PCs connected to one DRBL server



**Diskfull
PC**



=



+



+



**Diskless
PC**



Server

1st, We install Base System of **GNU/Linux** on **Management Node**.

You can choose:

**Redhat, Fedora, CentOS, Mandriva,
Ubuntu, Debian, ...**



2nd, We install **DRBL package** and
configure it as **DRBL Server**.

There are lots of service needed:
SSHD, DHCPD, TFTP, NFS Server,
NIS Server, YP Server ...

Network Booting

Account Mgmt.

NFS

TFTP

DHCPD

SSHD

NIS

YP


Perl

Bash

GNU Libc

DRBL Server

based on existing
Open Source and
keep Hacking!




Kernel Module

Linux Kernel

Boot Loader

After running “**drblsrv -i**” & “**drblpush -i**”, there will be **pxelinux**, **vmlinux-pex**, **initrd-pxe** in TFTPROOT, and different **configuration files** for each Compute Node in NFSROOT



3rd, We enable **PXE** function in **BIOS** configuration.

BIOS PXE

BIOS PXE

BIOS PXE

BIOS PXE

NFS

TFTPD

DHCPD

SSHD

NIS

YP

Config. Files


Ex. hostname

initrd-pxe

vmlinux-pxe

pxelinux

GNU Libc



Kernel Module

Linux Kernel

Boot Loader

While Booting, **PXE** will query IP address from **DHCPD**.

BIOS PXE

BIOS PXE

BIOS PXE

BIOS PXE

NFS

TFTPD

DHCPD

SSHD

NIS

YP

Config. Files
Ex. hostname

initrd-pxe

vmlinux-pxe

pxelinux

GNU Libc



Kernel Module

Linux Kernel

Boot Loader

While Booting, **PXE** will query IP address from **DHCPD**.

IP 1

IP 2

IP 3

IP 4

NFS

TFTPD

DHCPD

SSHD

NIS

YP

Config. Files
Ex. hostname

initrd-pxe

vmlinuz-pxe

pxelinux

GNU Libc



Kernel Module

Linux Kernel

Boot Loader

After PXE get its IP address, it will download booting files from **TFTPD**.

IP 1

IP 2

IP 3

IP 4

NFS

TFTPD

DHCPD

SSHD

NIS

YP

Config. Files
Ex. hostname

initrd-pxe

vmlinux-pxe

pxelinux

GNU Libc



Kernel Module

Linux Kernel

Boot Loader



NFS **TFTPD** **DHCPD** **SSHD** **NIS** **YP**

Config. Files
Ex. hostname

initrd-pxe

vmlinuz-pxe

pxelinux

GNU Libc



Kernel Module


Linux Kernel

Boot Loader



Config. Files
GNU Libc

After downloading booting files, scripts in **initrd-pxe will config **NFSROOT** for each Compute Node.**





NFS **TFTPD** **DHCPD** **SSHD** **NIS** **YP**


Config. Files
 Ex. hostname

initrd-pxe
 vmlinuz-pxe
 pxelinux





Applications and Services will also
deployed to each **Compute Node**
via **NFS**





With the help of **NIS** and **YP**,
You can login each Compute Node
with the **Same ID / PASSWORD**
stored in **DRBL Server!**

SSH Client





Questions?

Slides - <http://trac.nchc.org.tw/cloud>

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw




Powered by DRBL



Hadoop 相關計畫

Hadoop Ecosystem

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw





Hadoop 只支援用 **Java** 開發嘛？
Is Hadoop only support Java ?

總不能全部都重新設計吧？如何與舊系統相容？

Can Hadoop work with existing software ?



可以跟資料庫結合嘛？

Can Hadoop work with Databases ?

開發者們有聽到大家的需求.....

Yes, we hear the feedback of developers ...



Is Hadoop only support Java ?

- Although the Hadoop framework is implemented in Java[™], **Map/Reduce applications need not be written in Java.**
- **Hadoop Streaming** is a utility which allows users to **create and run jobs with any executables (e.g. shell utilities)** as the mapper and/or the reducer.
- **Hadoop Pipes** is a SWIG-compatible **C++ API** to implement Map/Reduce applications (non JNI[™] based).

Hadoop Pipes (C++, Python)

- Hadoop Pipes allows **C++** code to use Hadoop DFS and map/reduce.
- The C++ interface is "swigable" so that interfaces can be generated for **python** and other scripting languages.
- For more detail, check the API Document of org.apache.hadoop.mapred.pipes
- You can also find example code at hadoop-*/src/examples/pipes
- About the pipes C++ WordCount example code: <http://wiki.apache.org/hadoop/C++WordCount>

Hadoop Streaming

- Hadoop Streaming is a utility which allows users to create and run Map-Reduce jobs **with any executables (e.g. Unix shell utilities)** as the mapper and/or the reducer.
- It's useful when you need to run **existing program** written in shell script, perl script or even PHP.
- Note: both the **mapper** and the **reducer** are **executables** that read the input from **STDIN** (line by line) and emit the output to **STDOUT**.
- For more detail, check the official document of **Hadoop Streaming**

Running Hadoop Streaming

```
jazz@hadoop:~$ hadoop jar hadoop-streaming.jar -help
```

```
10/08/11 00:20:00 ERROR streaming.StreamJob: Missing required option -input
```

```
Usage: $HADOOP_HOME/bin/hadoop [--config dir] jar \  
      $HADOOP_HOME/hadoop-streaming.jar [options]
```

Options:

```
-input      <path>      DFS input file(s) for the Map step  
-output    <path>      DFS output directory for the Reduce step  
-mapper    <cmd|JavaClassName>      The streaming command to run  
-combiner <JavaClassName> Combiner has to be a Java class  
-reducer   <cmd|JavaClassName>      The streaming command to run  
-file      <file>      File/dir to be shipped in the Job jar file  
-dfs       <h:p>|local Optional. Override DFS configuration  
-jt       <h:p>|local Optional. Override JobTracker configuration  
-additionalconfspec specfile Optional.  
-inputformat TextInputFormat (default) |SequenceFileAsTextInputFormat |  
JavaClassName Optional.  
-outputformat TextOutputFormat (default) |JavaClassName Optional.
```

... More ...

Hadoop Streaming with shell commands (1)

```
hadoop:~$ hadoop fs -rmr input output
```

```
hadoop:~$ hadoop fs -put /etc/hadoop/conf input
```

```
hadoop:~$ hadoop jar hadoop-streaming.jar -input  
input -output output -mapper /bin/cat  
-reducer /usr/bin/wc
```

Hadoop Streaming with shell commands (2)

```
hadoop:~$ echo "sed -e \"s/ /\n/g\" | grep ." >  
streamingMapper.sh
```

```
hadoop:~$ echo "uniq -c | awk '{print \$2 \"\t\"  
\$1}'" > streamingReducer.sh
```

```
hadoop:~$ chmod a+x streamingMapper.sh
```


```
hadoop:~$ chmod a+x streamingReducer.sh
```

```
hadoop:~$ hadoop fs -put /etc/hadoop/conf input
```

```
hadoop:~$ hadoop jar hadoop-streaming.jar -input  
input -output output -mapper streamingMapper.sh  
-reducer streamingReducer.sh -file  
streamingMapper.sh -file streamingReducer.sh
```

There are several Hadoop subprojects

Apache > Hadoop >



Top

Common

Chukwa

HBase

HDFS

Hive

MapReduce

Pig

ZooKeeper

▼ About

▫ Welcome

▫ Who We Are?

▫ Mailing Lists

Welcome to Apache Hadoop!

- **Hadoop Common:** The common utilities that support the other Hadoop subprojects.
- **HDFS:** A distributed file system that provides high throughput access to application data.
- **MapReduce:** A software framework for distributed processing of large data sets on compute clusters.

Other Hadoop related projects

- **Chukwa**: A data collection system for managing large distributed systems.
- **HBase**: A scalable, distributed database that supports structured data storage for large tables.
- **Hive**: A data warehouse infrastructure that provides data summarization and ad hoc querying.
- **Pig**: A high-level data-flow language and execution framework for parallel computation.
- **ZooKeeper**: A high-performance coordination service for distributed applications.

Hadoop Ecosystem

Pig	Chukwa	Hive	HBase
MapReduce		HDFS	ZooKeeper
Hadoop Core (Hadoop Common)		Avro	

Source: *Hadoop: The Definitive Guide*

Avro

- Avro is a **data serialization system**.
- It provides:
 - *Rich data structures.*
 - *A compact, fast, binary data format.*
 - *A container file, to store persistent data.*
 - *Remote procedure call (RPC).*
 - *Simple integration with dynamic languages.*
- Code generation is not required to read or write data files nor to use or implement RPC protocols. Code generation as an optional optimization, only worth implementing for statically typed languages.
- For more detail, please check the official document:
<http://avro.apache.org/docs/current/>



Zoo Keeper



- <http://hadoop.apache.org/zookeeper/>
- ZooKeeper is a **centralized service** for **maintaining configuration** information, **naming**, **providing distributed synchronization**, and providing group services. All of these kinds of services are used in some form or another by distributed applications.
- *Each time they are implemented there is a lot of work that goes into fixing the bugs and **race conditions** that are inevitable. Because of the difficulty of implementing these kinds of services, applications initially usually skimp on them, which make them brittle in the presence of change and difficult to manage. Even when done correctly, different implementations of these services lead to management complexity when the applications are deployed.*

Pig

- <http://hadoop.apache.org/pig/>
- Pig is a platform for **analyzing large data sets** that consists of a **high-level language** for expressing data analysis programs, coupled with infrastructure for evaluating these programs.
- Pig's infrastructure layer consists of a **compiler** that produces sequences of **Map-Reduce programs**
- Pig's language layer currently consists of a textual language called **Pig Latin**, which has the following key properties:
 - **Ease of programming**
 - **Optimization opportunities**
 - **Extensibility**



Hive

- <http://hadoop.apache.org/hive/>
- Hive is a **data warehouse** infrastructure built on top of Hadoop that provides tools to enable easy **data summarization**, **adhoc querying** and analysis of large datasets data stored in Hadoop files.
- **Hive QL** is based on SQL and enables users familiar with SQL to query this data.



Chukwa

- <http://hadoop.apache.org/chukwa/>
- Chukwa is an open source **data collection system** for monitoring large distributed systems.
- built on top of HDFS and Map/Reduce framework
- includes a flexible and powerful toolkit for displaying, monitoring and analyzing results to make the best use of the collected data.



Mahout

- <http://mahout.apache.org/>
- Mahout is a scalable **machine learning libraries**.
- implemented on top of Apache Hadoop using the map/reduce paradigm.
- Mahout currently has
 - Collaborative Filtering
 - User and Item based recommenders
 - **K-Means, Fuzzy K-Means clustering**
 - Mean Shift clustering
 - More ...






HBase 雲端資料庫

Introduction to HBase

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw



It's all about SCALE!!



Warning: fopen(/home/dodgers/public_html/./logs/oracle_error_log.txt) [function.fopen]: failed to open stream: Permission denied in /usr/local/apache/htdocs/include2007/oracle/db_oracle.inc.php on line 194

Cannot open Database Error Log, please check!! (/home/dodgers/public_html/./logs/oracle_error_log.txt)

Warning: fopen(/home/dodgers/public_html/./logs/oracle_error_log.txt) [function.fopen]: failed to open stream: Permission denied in /usr/local/apache/htdocs/include2007/oracle/db_oracle.inc.php on line 194

Cannot open Database Error Log, please check!! (/home/dodgers/public_html/./logs/oracle_error_log.txt)

Warning: fopen(/home/dodgers/public_html/./logs/oracle_error_log.txt) [function.fopen]: failed to open stream: Permission denied in /usr/local/apache/htdocs/include2007/oracle/db_oracle.inc.php on line 194

Cannot open Database Error Log, please check!! (/home/dodgers/public_html/./logs/oracle_error_log.txt)

Warning: fopen(/home/dodgers/public_html/./logs/oracle_error_log.txt) [function.fopen]: failed to open stream: Permission denied in /usr/local/apache/htdocs/include2007/oracle/db_oracle.inc.php on line 194

Cannot open Database Error Log, please check!! (/home/dodgers/public_html/./logs/oracle_error_log.txt)



訂購歷史紀錄




denied in /usr/local/apache/htdocs/include2007/oracle/db_oracle.inc.php on line 194

Cannot open Database Error Log, please check!! (/home/dodgers/public_html/./logs/oracle_error_log.txt)


Warning: fopen(/home/dodgers/public_html/./logs/oracle_error_log.txt) [function.fopen]: failed to open stream: Permission

How to scale up web service in the past ?



Tools used by large scale websites


- Perlbal - <http://www.danga.com/perlbal/>
 - ◆ 多個網頁伺服器的負載平衡
 - ◆ Load balancer
- MogileFS - <http://www.danga.com/mogilefs/>
 - ◆ 分散式檔案系統
 - ◆ Distributed File System for small files
 - ◆ 有公司認為 MogileFS 比起 Hadoop 適合拿來處理小檔案
- memcached - <http://memcached.org/>
 - ◆ 共享記憶體 ??
 - ◆ Share Memory
 - ◆ 把資料庫或經常讀取的部分，用記憶體快取 (Cache) 方式存放
- Moxi - <http://code.google.com/p/moxi/>
 - ◆ Memcache 的 PROXY
- More Resource:
 - ◆ <http://code.google.com/p/memcached/wiki/HowToLearnMoreScalability>
 - ◆ <http://www.slideshare.net/techdude/scalable-web-architectures-common-patterns-and-approaches>




Memcached & MySQL

read

write




GET de-duplication



draining and filling

lazily migrate items from old server to new server



HBase is ..

- HBase is a distributed **column-oriented database** built on top of HDFS.
- A distributed data store that can scale horizontally to 1,000s of commodity servers and **petabytes** of indexed storage.
- Designed to operate on top of the Hadoop distributed file system (**HDFS**) or Kosmos File System (**KFS**, aka Cloudstore) for scalability, fault tolerance, and high availability.
- Integrated into the Hadoop **map-reduce** platform and paradigm.

Benefits

- Distributed storage
- Table-like in data structure
 - multi-dimensional map
- High scalability
- High availability
- High performance

Who use HBase

- Adobe
 - 內部使用 (Structure data)
- Kalooga
 - 圖片搜尋引擎 <http://www.kalooga.com/>
- Meetup
 - 社群聚會網站 <http://www.meetup.com/>
- Streamy
 - Migrate from MySQL to Hbase <http://www.streamy.com/>
- Trend Micro
 - 雲端掃毒架構 <http://trendmicro.com/>
- Yahoo!
 - 儲存文件 fingerprint 避免重複 <http://www.yahoo.com/>
- More - <http://wiki.apache.org/hadoop/Hbase/PoweredBy>

Backdrop

- Started toward by Chad Walters and Jim
- 2006.11
 - Google releases paper on **BigTable**
- 2007.2
 - Initial HBase prototype created as Hadoop contrib.
- 2007.10
 - First useable HBase
- 2008.1
 - Hadoop become Apache top-level project and HBase becomes subproject
- 2008.10~
 - HBase 0.18, 0.19 released

HBase Is Not ...

- Tables have **one primary index**, the *row key*.
- **No join operators.**
- Scans and queries can select a subset of available columns, perhaps by using a wildcard.
- There are three types of lookups:
 - Fast lookup using row key and optional timestamp.
 - Full table scan
 - Range scan from region start to end.

HBase Is Not ... (2)

- Limited atomicity and transaction support.
 - HBase supports **multiple batched mutations of single rows** only.
 - Data is unstructured and untyped.
- No accessed or manipulated via SQL.
 - Programmatic access via Java, REST, or **Thrift APIs**.
 - Scripting via JRuby.

Why Bigtable?

- Performance of RDBMS system is good for transaction processing but for very large scale analytic processing, the solutions are commercial, expensive, and specialized.
- Very large scale analytic processing
 - Big queries – typically range or table scans.
 - **Big databases (100s of TB)**

Why Bigtable? (2)

- Map reduce on Bigtable with optionally Cascading on top to support some relational algebras may be a cost effective solution.
- Sharding is not a solution to scale open source RDBMS platforms
 - Application specific
 - Labor intensive (re)partitionaing

Why HBase ?


- HBase is a Bigtable clone.
- It is open source
- It has a good community and promise for the future
- It is developed on top of and has good integration for the Hadoop platform, if you are using Hadoop already.
- It has a Cascading connector.

HBase benefits than RDBMS

- *No real indexes*
- *Automatic partitioning*
- *Scale linearly and automatically* with new nodes
- *Commodity hardware*
- *Fault tolerance*
- *Batch processing*

Data Model


- Tables are sorted by **Row**
- Table schema only define it's *column families*.
 - Each family consists of any number of columns
 - Each column consists of any number of versions
 - Columns only exist when inserted, NULLs are free.
 - Columns within a family are sorted and stored together
- Everything except table names are byte[]
- **(Row, Family: Column, Timestamp) → Value**



Members


- *Master*
 - Responsible for monitoring region servers
 - Load balancing for regions
 - Redirect client to correct region servers
 - The current SPOF
- *regionserver slaves*
 - Serving requests(Write/Read/Scan) of Client
 - Send HeartBeat to Master
 - Throughput and Region numbers are scalable by region servers

Architecture




ZooKeeper

- HBase depends on ZooKeeper (Chapter 13) and by default it manages a ZooKeeper instance as the authority on cluster state



Operation

The `-ROOT-` table holds the list of `.META.` table regions



The `.META.` table holds the list of all user-space regions.



Questions?

Slides - <http://trac.nchc.org.tw/cloud>

Jazz Wang
Yao-Tsung Wang
jazz@nchc.org.tw



Powered by DRBL

Introduction to Pig programming



Yahoo Search Engineering

陳奕瑋 (Yiwei Chen)



任務！

[殺很大、插很大\(+瑤瑤寫真性感精選54P\) @ osaki's Blog :: Xuite日誌](#)

殺不用錢～殺online瑤瑤性感變裝照+精選性感寫真童顏巨乳的娃娃音美少女瑤瑤 本名：郭書瑤
暱稱：瑤瑤 身高：155cm 體重：42kg 三圍：33E/23/33 生日：1990/7/18 ...
blog.xuite.net/osaki99/blog/21865265 - [頁庫存檔](#) - [類似內容](#)

[電玩美少女瑤瑤精選影音\(ヤオヤオ童顏Fカップ爆乳美少女映画videos ...](#)

2008年8月31日 ... 18歲電玩少女瑤瑤半工半讀扛家計 (內有瑤瑤男友) <http://blog.xuite.net/kaiger/daily/23136438> ... 20080913 我猜嗲嗲美少女第二段2號Kiki 3號瑤瑤 ...
blog.xuite.net/kaiger/daily/19128818 - [頁庫存檔](#) - [類似內容](#)

[+](#) [顯示更多來自 blog.xuite.net 的結果](#)

[jays1943 分享正妹NO.24 無名瑤瑤- 樂多日誌](#)

瑤瑤也沒有哪裡得罪你們押你們為審麼這樣罵他說害女生生氣我看你們長的很醜吧不要自以為是
喔死網友還罵人ㄟ死勒你要不要臉瑤瑤可是我的偶像你們最好是向一點 ...
blog.roodo.com/jays1943/archives/6850053.html - [頁庫存檔](#) - [類似內容](#)



任務！

[瑤瑤航空 - Powered by Discuz!](#)

[瑤瑤航空 - Discuz! Board ...](#) 歡迎VIP旅客-魏如昀加入[瑤瑤航空\(2008-4-7\)](#) 歡迎VIP旅客-賴銘偉加入[瑤瑤航空\(2008-3-13\)](#) ... [瑤瑤家族](#) [瑤瑤在雅虎的第一家族](#) [瑤瑤天空部落格](#) [林佩瑤在天空的部落格](#) [林佩瑤](#) [無名網誌](#) [瑤瑤的新照片都在無名啦!](#) [無不癡齋](#) ...

[www.yaoyaofly.com](#) - [庫存頁面](#) - [更多此站結果](#)

[瑤瑤喵小屋~ - 無名小站](#)

[瑤瑤喵小屋~ - 無名小站 Blog Album...](#) 最近好煩煩煩，我覺得我的腦容量變小了... 好多事情消化不良 好多念頭讓我無法抉擇 (More.) [goukigouki at 無名小站 at 02:39 PM post | Reply\(27\) |](#) [Trackback\(0\) | prosecute](#) ...


[www.wretch.cc/blog/goukigouki - 74k](#) - [庫存頁面](#) - [更多此站結果](#)





任務！

- 你怎麼知道我們放的網頁比較好？
- 你怎麼知道第一筆結果應該要多熱門？



Hadoop Programming – Map/Reduce



Map / Reduce



mappers



reducers



100:
37



220:
28

Map-Reduce

- 全新想法
- 須分別撰寫 mappers & reducers
- 會有超級無敵霹靂多的 mapper/reducer 要維護！

We usually do ...

- 大部份時候：
 - filtering, projecting
 - grouping, aggregation, joining
- 今天有多少人搜尋「美國生」

Pig (Latin)

- Procedural dataflow language (Pig Latin) for Map-Reduce
 - 很像 SQL
 - group, join, filter, sort ...
 - 人人都會 SQL

Pig Script Example

- Top sites visited by users aged 18 to 25

```
Users = LOAD 'users.in' AS (name, age);
Fltrd = FILTER Users by age >= 18 and age <= 25;

Pages = LOAD 'pages.in' AS (user, url);

Jnd    = JOIN Fltrd BY name, Pages BY user;
Grpd   = GROUP Jnd by url;
Smmd   = FOREACH Grpd GENERATE group, COUNT(Jnd) AS
        clicks;


Srttd  = ORDER Smmd BY clicks;
Top100 = LIMIT Srttd 100;

STORE Top100 INTO 'top100sites.out';
```



Pig script → Map/Reduce

- 不需懂底下 Map-Reduce 運作
- Pig 幫忙翻譯



Why Pig?

- 容易學
- 開發快
- 一目瞭然

Why Pig?

```
import java.io.IOException;
import java.util.ArrayList;
import java.util.Iterator;
import java.util.List;

import org.apache.hadoop.fs.Path;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapred.FileInputFormat;
import org.apache.hadoop.mapred.Mapper;
import org.apache.hadoop.mapred.MapperContext;
import org.apache.hadoop.mapred.MapperRunner;
import org.apache.hadoop.mapred.RecordReader;
import org.apache.hadoop.mapred.Reporter;
import org.apache.hadoop.mapred.Reducer;
import org.apache.hadoop.mapred.ReducerContext;
import org.apache.hadoop.mapred.ReducerRunner;
import org.apache.hadoop.mapred.SequenceFileInputFormat;
import org.apache.hadoop.mapred.TextInputFormat;
import org.apache.hadoop.mapred.jobcontrol.Job;
import org.apache.hadoop.mapred.jobcontrol.JobControl;
import org.apache.hadoop.mapred.lib.IdentityMapper;

public class MRExample {
    public static class LoadPages extends MapReduceBase
        implements Mapper<LongWritable, Text, Text, Text> {
        public void map(LongWritable k, Text val,
            OutputCollector<Text, Text> oc,
            Reporter reporter) throws IOException {
            String line = val.toString();
            int firstComma = line.indexOf(',');
            String key = line.substring(0, firstComma);
            String value = line.substring(firstComma + 1);
            Text outKey = new Text(key);
            // Prepend an index to the value so we know which file
            // it came from.
            Text outVal = new Text("1:" + value);
            oc.collect(outKey, outVal);
        }
    }

    public static class LoadAndFilterUsers extends MapReduceBase
        implements Mapper<LongWritable, Text, Text, Text> {
        public void map(LongWritable k, Text val,
            OutputCollector<Text, Text> oc,
            Reporter reporter) throws IOException {
            // Pull the key into a LongWritable(sum));
            String line = val.toString();
            int firstComma = line.indexOf(',');
            String value = line.substring(firstComma + 1);
            int age = Integer.parseInt(value);
            if (age < 18 || age > 25) return;
            String key = line.substring(0, firstComma);
            Text outKey = new Text(key);
            // Prepend an index to the value so we know which file
            // it came from.
            Text outVal = new Text("2:" + value);
            oc.collect(outKey, outVal);
        }
    }

    public static class Join extends MapReduceBase
        implements Reducer<Text, Text, Text, Text> {
        public void reduce(Text key,
            Iterator<Text> iter,
            OutputCollector<Text, Text> oc,
            Reporter reporter) throws IOException {
            // For each value, figure out which file it's from and
            // accordingly.
            List<String> first = new ArrayList<String>();
            List<String> second = new ArrayList<String>();

            while (iter.hasNext()) {
                Text t = iter.next();
                String value = t.toString();
            }
        }
    }

    public static class LoadJoined extends MapReduceBase
        implements Mapper<Text, Text, Text, LongWritable> {
        public void map(
            Text key,
            Text val,
            OutputCollector<Text, LongWritable> oc,
            Reporter reporter) throws IOException {
            // Find the url
            String line = val.toString();
            int firstComma = line.indexOf(',');
            int secondComma = line.indexOf(',', firstComma);
            String key = line.substring(firstComma, secondComma);
            String value = line.substring(secondComma);
            Text outKey = new Text(key);
            oc.collect(outKey, new LongWritable(1L));
        }
    }

    public static class ReduceUrls extends MapReduceBase
        implements Reducer<Text, LongWritable, WritableComparable,
            Writable> {
        public void reduce(
            Text key,
            Iterator<LongWritable> iter,
            OutputCollector<WritableComparable, Writable> oc,
            Reporter reporter) throws IOException {
            // Add up all the values we see
            long sum = 0;
            while (iter.hasNext()) {
                sum += iter.next().get();
                reporter.setStatus("OK");
            }
            oc.collect(key, sum);
        }
    }

    public static class LoadClicks extends MapReduceBase
        implements Mapper<WritableComparable, Writable, LongWritable,
            Text> {
        public void map(
            WritableComparable key,
            Writable val,
            OutputCollector<LongWritable, Text> oc,
            Reporter reporter) throws IOException {
            // Only output the first 100 records
            while (count < 100 && iter.hasNext()) {
                oc.collect(key, iter.next());
                count++;
            }
        }
    }

    public static class LimitClicks extends MapReduceBase
        implements Reducer<LongWritable, Text, LongWritable, Text> {
        int count = 0;
        public void reduce(
            LongWritable key,
            Iterator<Text> iter,
            OutputCollector<LongWritable, Text> oc,
            Reporter reporter) throws IOException {
            // Only output the first 100 records
            while (count < 100 && iter.hasNext()) {
                oc.collect(key, iter.next());
                count++;
            }
        }
    }

    public static void main(String[] args) {
        JobConf jp = new JobConf(MRExample.class);
        jp.setJobName("Load Pages");
        jp.setInputFormat(TextInputFormat.class);
        jp.setOutputKeyClass(Text.class);
        jp.setOutputValueClass(Text.class);
        FileInputFormat.addInputPath(jp, Path("user/gates/pages"));
        FileOutputFormat.setOutputPath(jp, Path("user/gates/tmp/"));
        jp.setNumReduceTasks(1);
        Job loadPages = new Job(jp);

        JobConf lfu = new JobConf(MRExample.class);
        lfu.setJobName("Load and Filter");
        lfu.setInputFormat(TextInputFormat.class);
        lfu.setOutputKeyClass(Text.class);
        lfu.setOutputValueClass(Text.class);
        lfu.setMapperClass(LoadAndFilterUsers.class);
        FileInputFormat.addInputPath(lfu, Path("user/gates/users"));
        FileOutputFormat.setOutputPath(lfu, Path("user/gates/tmp/"));
        lfu.setNumReduceTasks(1);
        Job loadUsers = new Job(lfu);

        JobConf join = new JobConf(MRExample.class);
        join.setJobName("Join Users and Pages");
        join.setInputFormat(KeyValueTextInputFormat.class);
        join.setOutputKeyClass(Text.class);
        join.setOutputValueClass(Text.class);
        join.setMapperClass(IdentityMapper.class);
        join.setReducerClass(Join.class);
        FileInputFormat.addInputPath(join, Path("user/gates/tmp/indexd_pages"));
        FileInputFormat.addInputPath(join, Path("user/gates/tmp/indexd_urls"));
        join.setNumReduceTasks(50);
        Job joinJob = new Job(join);
        joinJob.addDependingJob(loadPages);
        joinJob.addDependingJob(loadUsers);

        JobConf group = new JobConf(MRExample.class);
        group.setJobName("Group URLs");
        group.setInputFormat(KeyValueTextInputFormat.class);
        group.setOutputKeyClass(Text.class);
        group.setOutputValueClass(LongWritable.class);
        group.setOutputFormat(SequenceFileOutputFormat.class);
        group.setMapperClass(LoadJoined.class);
        group.setCombinerClass(ReduceUrls.class);
        group.setReducerClass(ReduceUrls.class);
        FileInputFormat.addInputPath(group, Path("user/gates/tmp/joined"));
        FileOutputFormat.setOutputPath(group, Path("user/gates/tmp/grouped"));
        group.setNumReduceTasks(50);
        Job groupJob = new Job(group);
        groupJob.addDependingJob(joinJob);

        JobConf top100 = new JobConf(MRExample.class);
        top100.setJobName("Top 100 sites");
        top100.setInputFormat(SequenceFileInputFormat.class);
        top100.setOutputKeyClass(LongWritable.class);
        top100.setOutputValueClass(Text.class);
        top100.setOutputFormat(SequenceFileOutputFormat.class);
        top100.setMapperClass(LoadClicks.class);
        top100.setCombinerClass(LimitClicks.class);
        top100.setReducerClass(LimitClicks.class);
        FileInputFormat.addInputPath(top100, Path("user/gates/tmp/grouped"));
        FileOutputFormat.setOutputPath(top100, Path("user/gates/top100sitesforusers1"));
        top100.setNumReduceTasks(1);
        Job limit = new Job(top100);
        limit.addDependingJob(groupJob);


        JobControl jc = new JobControl();
        jc.addJob(loadPages);
        jc.addJob(loadUsers);
        jc.addJob(joinJob);
        jc.addJob(groupJob);
        jc.addJob(limit);
    }
}
```

Users = LOAD 'users' AS (name, age);
Fltrd = FILTER Users by age >= 18 and age <= 25;
Pages = LOAD 'pages' AS (user, url);
Jnd = JOIN Fltrd BY name, Pages BY user;
Grpd = GROUP Jnd by url;
Smmr = FOREACH Grpd GENERATE group, COUNT(jnd) AS clicks;
Srtd = ORDER Smmr BY clicks;
Top100 = LIMIT Srtd 100;
STORE Top100 INTO 'top100sites';



Why (NOT) Pig?

- 不是史上究極霹靂大無敵武器
 - Focus: aggregation, filter, join,...
- 另一種做分散運算工作的方式




Sweet spot between SQL – M/R

	SQL	Pig	Map-Reduce
<i>Programming style</i>	Large blocks of declarative constraints	→	“Plug together pipes”
<i>Built-in data manipulations</i>	Group-by, Sort, Join, Filter, Aggregate, Top-k, etc...	←	Group-by, Sort
<i>Execution model</i>	Fancy; trust the query optimizer	→	Simple, transparent
<i>Opportunities for automatic optimization</i>	Many	←	Few (logic buried in map() and reduce())
<i>Data Schema</i>	Must be known at table creation	→	Not required, may be defined at runtime



Pig Performance vs Map-Reduce





Execution and Syntax

Pig Example

- Show users aged 18-25

```
Users = LOAD 'users.txt'  
        USING PigStorage(',') AS (name, age);  
Fltrd = FILTER Users  
        BY age >= 18 AND age <= 25;  
Names = FOREACH Fltrd GENERATE name;  
  
STORE Names INTO 'names.out';
```



How to execute

- Local:

- `pig -x local foo.pig`

- Hadoop (HDFS):

- `pig foo.pig`

- `pig -Dmapred.job.queue.name=xxx foo.pig`

- `hadoop queue -showacls`



How to execute

- Interactive pig shell
 - `$ pig`
 - `grunt> _`

Load Data

```
Users = LOAD 'users.txt'  
        USING PigStorage(',') AS (name, age);
```

- LOAD ... AS ...
- PigStorage(',') to specify separator

```
John,18  
Mary,20  
Bob,30
```



name	age
John	18
Mary	20
Bob	30

Filter

```
Fltrd = FILTER Users  
      BY age >= 18 AND age <= 25;
```

- **FILTER ... BY ...**
 - constraints can be composite

name	age
John	18
Mary	20
Bob	30



name	age
John	18
Mary	20

Generate / Project

```
Names = FOREACH Fltrd GENERATE name;
```

- FOREACH ... GENERATE

name	age
John	18
Mary	20



name
John
Mary

Store Data

```
STORE Names INTO 'names.out';
```

- **STORE ... INTO ...**
 - PigStorage(',') to specify separator if multiple fields

Command - JOIN

```
Users = LOAD 'users' AS (name, age);  
Pages = LOAD 'pages' AS (user, url);  
Jnd = JOIN Users BY name, Pages BY user;
```

name	age
John	18
Mary	20
Bob	30

user	url
John	yaho
Mary	goog
Bob	bing



name	age	user	url
John	18	John	yaho
Mary	20	Mary	goog
Bob	30	Bob	bing

Command - GROUP

```
Grpd = GROUP Jnd by url;  
describe Grpd;
```

name	age	url
John	18	yhoo
Mary	20	goog
Dee	25	yhoo
Kim	40	bing
Bob	30	bing



yhoo	(John, 18, yhoo) (Dee, 25, yhoo)
goog	(Mary, 20, goog)
bing	(Kim, 40, bing) (Bob, 30, bing)

Other Commands

- `PARALLEL` – controls `#reducer`
- `ORDER` – sort by a field
- `COUNT` – eval: count `#elements`
- `COGROUP` – structured JOIN
- More at
http://hadoop.apache.org/pig/docs/r0.5.0/piglatin_reference.html





Features

Parameter Substitution

```
%default TYPE 'view'
```

```
%declare ID '18987'
```

```
A = load '/data/$DATE/$ID/$TYPE'
```

- `$ pig a.pig`
- `$ pig -param DATE=20091009 a.pig`
- `$ pig -param DATE=20091009 -param
TYPE=click a.pig`



RegEx Comparison

- `itsyou = FILTER` urls by
(`$0 MATCHES 'http://.*\\.yahoo\\.com.*'`)
- **MATCHES matches 'whole' string**
 - `'aaaa' MATCHES 'aaa.*'` is true
 - `'bbaaaa' MATCHES 'aaa.*'` is false
- **pattern syntax:** `java.util.regex.Pattern`



User-defined Function (UDF)

(John,171)
(Mary,165)
(Bob,183)



(**JOHN**,171)
(**MARY**,165)
(**BOB**,183)

UDF – user function part

```
package myudf;
import java.io.IOException;
import org.apache.pig.EvalFunc;
import org.apache.pig.data.Tuple;

public class UPPER extends EvalFunc<String>
{
    public String exec(Tuple in) throws IOException {
        if (in == null || in.size() == 0) return null;
        String str = (String)in.get(0);
        return str.toUpperCase();
    }
}
```



UDF

- <http://hadoop.apache.org/pig/docs/r0.3.0/udf.html>
- <http://hadoop.apache.org/pig/javadoc/docs/api/>
- **PiggyBank**
 - Pig users UDF repo
 - <http://wiki.apache.org/pig/PiggyBank>



Embedded in Java

```
/* create a pig server in the main class*/
{
    PigServer pigserver = new PigServer(args[0]);
    runMyQuery(pigServer, "/user/viraj/mydata.txt")
}

/* submit in function runMyQuery */

runMyQuery(PigServer pigServer, String inputFile) throws
IOException {
    pigServer.registerQuery("A = load '" + inputFile +
    "' as (f1,f2,f3);");
    pigServer.registerQuery("B = group A by f1;");
    pigServer.registerQuery("C = foreach B generate
    flatten(group);");
    pigServer.store("C", "/user/viraj/myoutput");
}
```



References

- **FAQ**
 - <http://wiki.apache.org/pig/FAQ>
- **Documentation**
 - <http://hadoop.apache.org/pig/docs/r0.5.0/>
- **Talks & papers**
 - <http://wiki.apache.org/pig/PigTalksPapers>
 - <http://www.cloudera.com/hadoop-training-pig-introduction>



Questions?





Backup slides

Parameter Substitution

```
$ pig -param myparam=val foo.pig
```

```
B = filter A by ($0 eq '$myparam')
```

- `pig -dryrun` produces processed script

```
B = filter A by ($0 eq 'val')
```



Parameter Substitution

- Params in file instead of command line
- `$ pig -param_file myparams.txt a.pig`

```
#myparams.txt  
DATE=20081009  
TYPE=clicks
```



UDF – build user function

- `javac`
 - `-cp $PIG_HOME/lib/pig.jar`
 - `-sourcepath src`
 - `-d classes`
 - `src/myudf/UPPER.java`
- `jar cf myudf.jar -C classes myudf/UPPER.class`



UDF – pig latin part

- **register** myudf.jar;
- B =
foreach A generate
 myudf.UPPER(name), height;

SQL vs. Pig Latin

<u>SQL</u>	<u>Pig</u>	<u>Example</u>
From table	Load file(s)	SQL: from X; Pig: A = load 'mydata' using PigStorage('\t') as (col1, col2, col3);
Select	Foreach ... generate	SQL: select col1 + col2, col3 ... Pig: B = foreach A generate col1 + col2, col3;
Where	Filter	SQL: select col1 + col2, col3 from X where col2>2; Pig: C = filter B by col2 > '2';

(adapted from Viraj's slide)



SQL vs. Pig Latin

<u>SQL</u>	<u>Pig</u>	<u>Example</u>
Group by	Group + foreach ... generate	SQL: select col1, col2, sum(col3) from X group by col1, col2; Pig: D = group A by (col1, col2); E = foreach D generate flatten(group), SUM(A.col3);
Having	Filter	SQL: select col1, sum(col2) from X group by col1 having sum(col2) > 5; Pig: F = filter E by \$1 > '5';
Order By	Order ... By	SQL: select col1, sum(col2) from X group by col1 order by col1; Pig: H = ORDER E by \$0;

(adapted from Viraj's slide)



SQL vs. Pig Latin

<u>SQL</u>	<u>Pig</u>	<u>Example</u>
Distinct	Distinct	SQL: select distinct col1 from X; Pig: I = foreach A generate col1; J = distinct I;
Distinct Agg	Distinct in foreach	SQL: select col1, count (distinct col2) from X group by col1; Pig: K = foreach D { L = distinct A.col2; generate flatten(group), SUM(L); }

(adapted from Viraj's slide)



SQL vs. Pig Latin

<u>SQL</u>	<u>Pig</u>	<u>Example</u>
Join	Cogroup + flatten (also shortcut: JOIN)	SQL: select A.col1, B.col3 from A join B using (col1); Pig: A = load 'data1' using PigStorage('\t') as (col1, col2); B = load 'data2' using PigStorage('\t') as (col1, col3); C = cogroup A by col1 inner , B by col1 inner ; D = foreach C generate flatten(A), flatten(B); E = foreach D generate A.col1, B.col3;

(adapted from Viraj's slide)



Debug Tips

- Use small data and `pig -x local`
- LIMIT
 - `A = LOAD 'data' AS (a1,a2,a3)`
 - `B = LIMIT A 3;`
- `DUMP` , `DESCRIBE`

FAQ

- <http://wiki.apache.org/pig/FAQ>
 - can assign #reducer
 - support regex
 - can use allocated HOD cluster

pig.vim

- http://www.vim.org/scripts/script.php?script_id=2186

```
A = load 'data.txt' as (f1,f2,f3);  
dump A;  
B = foreach A generate f1,f3;  
dump B;  
store B into 'output.txt' using PigStorage('-');
```